





Biological Monitoring Data Form for Muddy Bottom Method

Name of Stream:	St	Station ID:			
Name of Certified Monit	or(s):				
		Number of Participants:			
Latitude:	Lc	Longitude:			
County/State:					
		End Time:			
Description of Site Locat	tion				
MUDDY BOTTOM SA	MPI ING				
Record the number of jal	bs taken from each habitat t	ype (20 jabs total). Total jabs taken from a e overall percentage of the habitat type in the			
Banks	Woody 9	Woody Snags			
Riffles (Cobble Areas)	Submer	Submerged Aquatic Vegetation			
PHYSICAL CONDITION	DNS (check predominate co	ndition for each day)			
Today: ☐ Yesterday: ☐	Sunny Overcast Intern	mittent Rain Steady Rain Heavy Rain Snow mittent Rain Steady Rain Heavy Rain Snow mittent Rain Steady Rain Heavy Rain Snow			
Water Temperature:	C°	Avg. Stream Width ft.			
		Avg. Stream Depth in.			
SAMPLING NOTES					

MACROINVERTEBRATE COUNT

Macroinvertebrate	Tally	Count	Macroinvertebrate	Tally	Count
Worms			Alderflies, Fishflies, and Hellgrammites		
Flat Worms			Common Netspinning Caddisflies		
Leeches			Most Caddisflies (not Netspinning)		
Crayfish			Beetles		
Sowbugs			Midges		
Scuds			Black Flies		
Shrimp (Freshwater)			True Bugs		
Stoneflies			True Flies		
Mayflies (Mayflies (Mayfli			Gilled Snails		
limay lines		Lunged Snails			
Dragonflies (not Gomphidae) and Damselflies			Clams		
			Other benthic macroinvertebrates		
Gomphidae (clubtail) Dragonfly			Total number of organisms in the sample (include "other" category)		

INDIVIDUAL METRICS

	Organism Groups	Number of Organisms		Total Number of Organisms in the Sample		Percent (This is your value for this metric.)
Metric 1	Mayflies + Stoneflies + Most Caddisflies (not Common Netspinning)		÷		Multiply by 100	%
Metric 2	Gomphidae (clubtail) Dragonflies		÷		Multiply by 100	%

Metric 3: Tolerant

Organism Groups

Black Flies Clams Dragonflies and Damselflies Flatworms Leeches Lunged Snails Midges Scuds Sowbugs Worms **Total Tolerant** ÷ **Total number of organisms** in sample Multiply by 100 Percent %

Metric 4: Non-Insect

Organism Groups	Number of Organisms
Clams	
Crayfish	
Flatworms	
Gilled Snails	
Leeches	
Lunged Snails	
Scuds	
Sowbugs	
Worms	
Total Non-Insect	
÷	
Total number of organisms	
in sample	
Multiply by 100	
Percent (This is your value for Metric 4.)	%

NUMBER OF QUADRANTS FULLY PICKED (check one)

Number of Organisms

1 2 3 4

(This is your value for Metric 3.)

MULTIMETRIC INDEX (STREAM HEALTH SCORE)

	Metric Organism	Your Metric Value	6	3	0
Metric 1	Mayflies + Stoneflies+ Most Caddisflies		Greater than 7.8	0.85 - 7.8	Less than 0.85
Metric 2	Gomphidae (clubtail) Dragonflies		Greater than 0.5	0 - 0.5	0
Metric 3	Tolerant		Less than 63	63 - 85	Greater than 85
Metric 4	Non-Insects		Less than 27	27 - 70	Greater than 70
			Total # of 6s:	Total # of 3s:	Total # of 0s:
			Multiply by 6:	Multiply by 3:	Multiply by 0:
		SUBTOTALS			

dd the three subtotals to get the Save Our Streams Multimetric Index Score:					
Acceptable Ecological Condition (Greater than 14)					
Ecological conditions cannot be determined at this time/Grayzone (8 - 14)					
Unacceptable Ecological Condition (0 - 7)					

STREAM CONDITIONS (check all that apply)

Fish water quality indicators:	Barriers to fish movement:	Surface water appearance:	Streambed deposit (bottom):					
scattered individuals scattered schools trout (pollution sensitive) bass (somewhat sensitive) catfish (pollution tolerant) carp (pollution tolerant)	beaver dams man-made dams waterfalls (>1 ft.) none other	clear clear, but tea colored colored sheen (oily) foamy milky muddy black grey other	grey orange/red yellow black brown silt sand other					
Odor: musky oil sewage other none	Stability of streambed (bed sinks beneath your feet in): no spots a few spots many spots	Algae color: light green dark green brown coated matted on stream bed hairy	Algae located: _ everywhere _ in spots _ % covered					
Stream channel shade:	Streambank composition (=100%):	Streambank erosion:						
 ☐ full (more than 75%) ☐ high (50% - 74%) ☐ moderate (25% - 49%) ☐ slight (1% - 24%) ☐ none 	% trees	severe (more than 75%) high (50% - 74%) moderate (25% - 49%) slight (1% - 24%) none						
LAND USES IN THE WATERSHED (UPSTREAM AND SURROUNDING SAMPLING SITE) Indicate whether the following land uses within a <u>one-mile radius</u> of your sampling site have a high (H), moderate (M), slight (S), or no (N) potential impact to the quality of your stream. Leave blank if not present.								
Oil & gas drilling	Urban uses (parkin	g lots, highways, etc.)	_Agriculture (type:)					
Housing developments	Sanitary landfill		Trash dump					
Forestry Logging	Active constructioMining (type:	n)	_Fields _Livestock pasture _Other					
LAND USE NOTES: Describe the amount and type of litter in and around the stream and indicate the current and potential future threats to the stream's health.								

Submit data online at www.cleanwaterhub.org. If you have any questions about this protocol, please contact the VA SOS Coordinator at vasos@iwla.org. Data sheets must be stored for five years after sampling. If you are unable to keep your datasheets, please contact the VA SOS Coordinator.